

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	"666911".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/21 02:48

[illegible]

L15	12455	"13" and display\$4 same portable near3 device	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/21 02:52
L16	4	14 and display\$4 same portable near3 device	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/21 02:52
L17	8695	liquid near crystal and display\$4 same portable near3 device	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/21 03:03
L18	489	17 and screw\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/21 02:54
L19	319	17 and (light adj guide near3 plate)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/21 02:54
L20	48	19 and inclin\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/21 02:58
L21	21	20 and (hold\$4 fix\$4) same (surface substrate)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/21 02:59
L22	9	21 and holding	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/21 03:00
L23	2	22 and (conduct\$6 near6 (terminal end))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/21 03:02
L24	11	21 and conduct\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/21 03:02
L25	905	17 and circuit near board	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/21 03:03
L26	335	25 and electrode	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/21 03:04

L27	14	26 and holding near3 (structure frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/21 03:04
L28	3306	"s7" and inclin\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/21 03:04
L29	3	27 and inclin\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/21 03:48
L30	2	29 and lp same glb	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/21 04:28
L31	2	30 and circuit near board same conductive	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/21 04:47